PRODUCT CATALOG 2022

www.balticwelders.ee

Baltic Welders

DIGGING BUCKETS

For machines weighing 1-8t



Product	Machine, weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Teeth
DB35	<1	35	55	596	397	469	480	35	-
DB35T	<1	35	55	596	397	469	480	40	4
DB40	<2	40	60	757	493	624	400	45	-
DB40T	<2	40	60	757	493	624	400	50	3
DB60	<2	60	80	757	493	624	500	50	-
DB60T	<2	60	80	757	493	624	500	55	4
DB70	<3	70	90	757	493	624	550	55	-
DB70T	<3	70	90	757	493	624	550	60	4
DB80	<3	80	100	757	493	624	600	60	-
DB80T	<3	80	100	757	493	624	600	65	4
DB150	<5	150	220	1166	784	992	600	160	-
DB150T	<5	150	220	1166	784	992	600	180	4
DB200	<7	200	270	1166	784	992	700	190	-
DB200T	<7	200	270	1166	784	992	700	210	4
DB250	<8	250	320	1166	784	992	800	220	-
DB250T	<8	250	320	1166	784	992	800	240	4





DIGGING BUCKETS

For machines weighing 16-30t



Product	Machine, weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Teeth
DB400	<16	400	500	1382	1000	1190	850	490	-
DB400T	<16	400	500	1382	1000	1190	850	515	4
DB600	<18	600	700	1382	1000	1190	950	530	-
DB600T	<18	600	700	1382	1000	1190	950	555	4
DB700	<20	700	820	1465	1070	1226	1000	735	-
DB700T	<20	700	820	1465	1070	1226	1000	765	4
DB950	<22	950	1070	1465	1070	1226	1200	800	-
DB950T	<22	950	1070	1465	1070	1226	1200	830	4
DB1000	<24	1000	1200	1720	1390	1590	1200	1050	-
DB1000T	<24	1000	1200	1720	1390	1590	1200	1130	4
DB1200	<28	1200	1500	1720	1390	1590	1400	1270	-
DB1200T	<28	1200	1500	1720	1390	1590	1400	1350	4
DB1500	<30	1500	1800	1720	1390	1590	1600	1550	-
DB1500T	<30	1500	1800	1720	1390	1590	1600	1650	5





CABLE BUCKETS

For machines weighing 2-8t



Product	Machine, weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	D, mm	Width, mm	Weight, kg	Teeth
CB40	<2	40	55	867	513	736	300	300	45	-
CB55	<3	55	70	867	513	736	418	300	50	-
CB55T	<3	55	70	867	513	736	418	300	55	2
CB70	<3	70	85	867	513	736	465	350	60	-
CB70T	<3	70	85	867	513	736	465	350	70	2
CB85	<4	85	100	867	513	736	518	400	75	-
CB85T	<4	85	100	867	513	736	518	400	85	4
CB130	<7	130	160	1239	825	1062	400	300	120	-
CB130T	<7	130	160	1239	825	1062	400	300	130	2
CB140	<8	140	170	1239	825	1062	450	350	130	-
CB140T	<8	140	170	1239	825	1062	450	350	140	2
CB150	<8	150	180	1239	825	1062	450	400	140	-
CB150T	<8	150	180	1239	825	1062	450	400	150	3
CB160	<8	160	190	1239	825	1062	635	400	160	-
CB160T	<8	160	190	1239	825	1062	635	400	170	3



CABLE BUCKETS

For machines weighing 12-20t



Product	Machine, weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	D, mn	Width, mm	Weight, kg	Teeth
CB220	<12	220	300	1385	990	1182	685	400	400	-
CB220T	<12	220	300	1385	990	1182	685	400	430	3
CB300	<14	300	380	1385	990	1182	775	500	450	-
CB300T	<14	300	380	1385	990	1182	775	500	480	3
CB320	<18	320	400	1465	1060	1225	685	400	520	-
CB320T	<18	320	400	1465	1060	1225	685	400	550	3
CB370	<20	370	450	1465	1060	1225	775	500	560	-
CB370T	<20	370	450	1465	1060	1225	775	500	590	3



HYDRAULIC PLANNING BUCKETS

For machines weighing 2-8t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Cylinders
PB60H	<2	60	80	495	290	374	1000	85	1 (H)
PB80H	<3	80	100	495	290	374	1200	100	1 (H)
PB100H	<4	100	120	495	290	374	1400	115	1 (H)
PB190H	<5	190	250	803	582	686	1200	240	2 (H)
PB240H	<6	240	300	803	582	686	1300	255	2 (H)
PB320H	<8	320	380	803	582	686	1500	285	2 (H)

Tilting angle is 45° + 45°

H - Horizontal cylinders





HARDOX HYDRAULIC PLANNING BUCKETS

For machines weighing 15-35t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Cylinders
PB600HDH	<15	600	1000	1390	1000	1170	1650	750	1 (VH)
PB700HDH	<16	700	1100	1390	1000	1170	1800	850	1 (VH)
PB800HDH	<18	800	1200	1390	1000	1170	1950	1000	2 (VH)
PB900HDH	<20	900	1300	1390	1000	1170	2100	1150	2 (VH)
PB1100HDH	<24	1100	1500	1550	1050	1320	2100	1800	2 (VH)
PB1300HDH	<28	1300	1700	1550	1050	1320	2300	1950	2 (VH)
PB1400HDH	<35	1400	2000	1390	1000	1170	3000	2400	2 (VH)

Tilting angle is 45° + 45°

VH - Vertical hidden cylinders





STATIC PLANNING BUCKETS

For machines weighing 2-8t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg
PB60	<2	60	80	495	290	374	1000	60
PB80	<3	80	100	495	290	374	1200	75
PB100	<4	100	120	495	290	374	1400	90
PB190	<5	190	250	803	582	686	1200	240
PB240	<6	240	300	803	582	686	1300	255
PB240W	<8	240	380	660	420	520	2500	250
PB320	<8	320	380	803	582	686	1500	285





HARDOX PLANNING BUCKETS

For machines weighing 15-28t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Material
PB600HD	<15	600	1000	1385	868	1170	1650	580	Full Hardox
PB700HD	<16	700	1100	1385	868	1170	1800	650	Full Hardox
PB800HD	<18	800	1200	1385	868	1170	1950	740	Full Hardox
PB900HD	<20	900	1300	1385	868	1170	2100	850	Full Hardox
PB1100HD	<24	1100	1500	1525	925	1320	2100	1050	Full Hardox
PB1300HD	<28	1300	1700	1525	925	1320	2300	1200	Full Hardox





HYDRAULIC SIEVE PLANNING BUCKETS

For machines weighing 20-24t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Cylinders
PB800HS	<20	800	1100	975	750	800	2800	850	2 (H)
PB1000HS	<24	1100	1300	1195	750	800	2800	950	2 (H)

Tilting angle is 40° + 40°

H - Horisontal cylinders





ROTATOR BUCKETS

For machines weighing 1-8t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg
RB50	<1,5	50	70	690	355	500	800	45
RB60	<2	60	80	690	355	500	900	50
RB80	<3	80	110	690	355	500	1000	60
RB90	<3,5	90	120	690	355	500	1100	70
RB100	<4	100	150	858	463	695	1000	95
RB150	<5	150	200	858	463	695	1100	105
RB200	<6	200	250	858	463	695	1200	115
RB230	<6	230	300	858	463	695	1300	125
RB250	<7	250	320	1067	618	799	1300	240
RB300	<8	300	370	1067	618	799	1400	260
RB350	<8	350	420	1067	618	799	1500	280





ROTATOR BUCKETS

For machines weighing 15-22t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg
RB450	<15	450	550	1267	714	890	1400	485
RB500	<16	500	600	1267	714	890	1600	585
RB800	<20	800	950	1444	837	1062	1600	700
RB900	<22	900	1050	1444	837	1062	1800	830





SIEVING BUCKETS

For machines weighing 18-24t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg
SB700	<18	700	1100	1230	900	1000	1600	670
SB800	<21	800	1200	1230	900	1000	1800	750
SB900	<24	900	1300	1230	900	1000	2000	830





HARDOX SIEVING BUCKETS

For machines weighing 18-24t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Teeth	Weight, kg
SB700V	<18	700	1100	1230	900	1000	1600	-	820
SB700VT	<18	700	1100	1230	900	1000	1600	4	860
SB800V	<21	800	1200	1230	900	1000	1800	-	900
SB800VT	<21	800	1200	1230	900	1000	1800	5	960
SB900V	<24	900	1300	1230	900	1000	2000	-	1000
SB900VT	<24	900	1300	1230	900	1000	2000	5	1060



SNOWBUCKETS

For snow 1100-1500l



Product	Capacity, l	Capacity with heap, l	A, mm	B, mm	Width, mm	Weight, kg
SN1100	1100	1400	1050	1075	1800	300
SN1300	1300	1700	1050	1075	2100	340
SN1500	1500	2000	1050	1075	2400	380





LIGHT MATERIAL BUCKETS

For grain 1600-2000l



Product	Capacity, l	Capacity with heap, l	A, mm	B, mm	Width, mm	Angle	Weight, kg
LMB1600	1600	1900	1400	1005	2000	10°	370
LMB1700	1700	2000	1400	1005	2100	10°	380
LMB1800	1800	2150	1400	1005	2200	10°	390
LMB1900	1900	2300	1400	1005	2300	10°	400
LMB2000	2000	2400	1500	1005	2400	10°	410





LIGHT MATERIAL BUCKETS

1100-1500l



Product	Capacity, l	Capacity with heap, l	A, mm	B, mm	Width, mm	Angle	Weight, kg
LMB1000	1100	1400	1200	1005	2000	10°	300
LMB1200	1200	1500	1200	1005	2100	10°	310
LMB1300	1300	1650	1200	1005	2200	10°	320
LMB1400	1400	1800	1200	1005	2300	10°	330
LMB1500	1500	1900	1200	1005	2400	10°	340





GRAVEL BUCKETS

1000-1400l



Product	Capacity, l	Capacity with heap, l	A, mm	B, mm	Width, mm	Weight, kg
GB1000	1000	1200	1100	1040	2000	400
GB1150	1150	1400	1100	1040	2100	430
GB1300	1300	1600	1100	1040	2200	450
GB1400	1400	1700	1100	1040	2300	480



GRAVEL BUCKETS

2000-5000l



Product	Capacity, l	Capacity with heap, l	A, mm	B, mm	Width, mm	Weight, kg
GB2000	2000	2500	1150	1150	3000	850
GB2500	2500	3000	1300	1300	3000	1000
GB3000	3000	3500	1470	1470	3000	1200
GB3500	3500	4000	1470	1470	3200	1400
GB4000	4000	4500	1600	1600	3200	1600
GB4500	4500	5000	1700	1700	3200	1800
GB5000	5000	5500	1800	1800	3200	2000





V-LINE BUCKETS

For machines weighing 1-8t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Teeth
VB50	<1	50	60	500	500	700	200	40	-
VB50T	<1	50	60	500	500	700	200	45	2
VB100	<2	100	120	550	550	950	200	60	-
VB100T	<2	100	120	550	550	950	200	65	2
VB150	<4	150	170	600	650	1300	200	80	-
VB150T	<4	150	170	600	650	1300	200	85	2
VB200	<6	200	240	660	740	1360	235	100	-
VB200T	<6	200	240	660	740	1360	235	120	2
VB250	<6	250	275	750	800	1500	235	150	-
VB250T	<6	250	275	750	800	1500	235	160	2
VB300	<7	300	330	850	850	1600	235	180	-
VB300T	<7	300	330	850	850	1600	235	190	2
VB350	<8	350	380	950	900	1750	250	270	-
VB350T	<8	350	380	950	900	1750	250	285	2
VB400	<8	400	440	1020	900	2100	320	300	-
VB400T	<8	400	440	1020	900	2100	320	315	2
VB450	<8	450	500	1100	950	2200	320	320	-
VB450T	<8	450	500	1100	950	2200	320	335	2





V-LINE BUCKETS

For machines weighing 13-26t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Teeth
VB500	<13	500	600	850	850	2400	400	60	-
VB500T	<13	500	600	850	850	2400	400	65	2
VB600	<16	600	750	950	950	2800	400	550	-
VB600T	<16	600	750	950	950	2800	400	575	2
VB800	<20	800	1000	1200	1200	2850	500	650	-
VB800T	<20	800	1000	1200	1200	2850	500	690	3
VB1000	<26	1000	1200	1200	1200	3300	500	740	-
VB1000T	<26	1000	1200	1200	1200	3300	500	780	3



V-LINE BUCKETS

For machines weighing 16-26t



Product	Machine weight, t	Capacity, l	Capacity with heap, l	A, mm	B, mm	C, mm	D, mm	Width, mm	Weight, kg	Teeth
VB600R	<16	600	750	950	950	3000	2000	400	550	-
VB600RT	<16	600	750	950	950	3000	2000	400	575	2
VB850R	<22	850	1050	1400	900	3500	2500	400	900	-
VB850RT	<22	850	1050	1400	900	3500	2500	400	950	2
VB1000R	<26	1000	1200	1400	1000	3500	2500	500	1100	-
VB1000RT	<26	1000	1200	1400	1000	3500	2500	500	1150	3

Available with removable blades





STATIC QUICK S-TYPE COUPLINGS



Product	Coupler	Locking system	Reccomended machine weight, t	Extras	Weight, kg
SQ_S30-150M	S30-150	Mechanical	0,5-2	-	20
SQ_S30-150H	S30-150	Hydraulical	0,5-2	-	20
SQ_S30-180M	S30-180	Mechanical	0,5-2	-	20
SQ_S30-180H	S30-180	Hydraulical	0,5-2	-	20
SQ_S40M	S40	Mechanical	2-5	-	40
SQ_S40H	S40	Hydraulical	2-5	-	45
SQ_S45M	S45	Mechanical	5-12	-	60
SQ_S45H	S45	Hydraulical	5-12	-	65
SQ_S50M	S50	Mechanical	5-13	-	60
SQ_S50H	S50	Hydraulical	5-13	-	65
SQ_S60H	S60	Hydraulical	12-18	Hook 3t	160
SQ_S70H	S70	Hydraulical	17-25	Hook 3t	235
SQ_S80H	S80	Hydraulical	25-40	Hook 5t	420





STATIC QUICK COUPLINGS



Product	Coupler	Locking system	Reccomended machine weight, t	Extras	Weight, kg
SQ_NTP10H	NTP10	Hydraulical	13-22	Hook 3t	260





TILTING QUICK COUPLINGS S-TYPE



Product	Coupler	Locking system	Reccomended machine weight, t	Extras	Weight, kg	Cylinders
DQ_S60H	S60	Hydraulical	12-18	-	450	2 (VH)
DQ_S70H	S70	Hydraulical	17-25	Hook 3t	550	2 (VH)
DQ_S80H	S80	Hydraulical	25-40	Hook 5t	750	2 (VH)

Tilting angle is 45° + 45°

VH - Vertical hidden cylinders





S-TYPE COUPLINGS



Product	A, mm	B, mm	D, mm	Weight, kg
S30-150	150	200	30	8
S30-180	180	230	30	9
S40	200	300	40	18
S45	290	430	45	27
S50	270	430	50	28
S60	350	480	60	60
S70	450	600	70	85
S80	590	670	80	150
S90	750	750	90	225
S100	750	900	100	305
S120	925	870	120	450





NTP TYPE COUPLINGS



Product	A, mm	B, mm	D, mm	Weight, kg
NTP10	225	445	70	105*/125**
NTP20	305	485	80	130
NTP30	350	525	80	150
NTP40	340	632	100	375

* - 16mm plate / ** - 20mm plate





FRONTAL QUICK COUPLERS FOR LOADERS



Product	Coupler	Locking system	Weight, kg
FQM_V120	Volvo120	Mechanical	450
FQH_V120	Volvo120	Hydraulic	450
FQM_V150	Volvo150	Mechanical	650
FQH_V150	Volvo150	Hydraulic	650





FRONTAL QUICK COUPLERS



Product	Coupler	Locking system	Weight, kg
V150-V120	Volvo120	Mechanical	250
V150-V120	Volvo120	Hydraulic	250
JCB_Qfit_Manitou		Mechanical	120





ADAPTERS FOR HAMMERS



Product	A, mm	B, mm	Coupling	Weight, kg
HP_570x640_S70	570	640	S70	175





ADAPTERS FOR HAMMERS



Product	A, mm	B, mm	D, mm	Coupling	Weight, kg
HP_570x640_NTP10	225	405	70	NTP10	245





ADAPTERS



Product	Coupling	Coupler	Weight, kg
ADA_S60_NTP10	S60	NTP10	160
ADA_HI470	Eccentric	Hitachi 470	600





DIGGING BUCKET THUMB

For machines 8-15t



Product	Machine weight, t	A, mm	Cylinder, mm	Width, mm	Weight, kg
BT1600	<15	1600	70.40.1220.1000GE35x2	470	160
BT1220A	<8	1220	63.40.560.360GE30x2	400	115





HOOKS

For machines 2-45t



Product	Machine weight, t	A, mm	B, mm	C, mm	Adapter	Weight, kg
HO1_2t	>2t	440	520	50	J200	40
HO2_5t	>5t	680	760	60	J250	90
HO3_10t	>10t	780	980	64	J250	135
HO4_16t	>16t	1000	810	92	J300	310
HO5_20t	>20t	1100	970	92	J350	350
HO6_24t	>24t	1190	1065	100	J450	400
HO7_28t	>28t	1200	1200	100	J550	520
HO8_45t	>45t	1200	1300	160	J600	1000



STUB CRUSHERS



Product	A, mm	B, mm	C, mm	Teeth	No of teeth	Weight, kg
SC1140-4	1140	1160	40	J300 adapters	4	660
SC1140-4W	1140	1070	40	-	4	620
SC1500-5	1500	1160	40	J300 adapters	5	820
SC1500-5W	1500	1070	40	-	5	770
SC1920-6	1920	1160	40	J300 adapters	6	1000
SC1920-6W	1920	1070	40	-	6	940
SC2280-7	2280	1160	40	J300 adapters	7	1150
SC2280-7W	2280	1070	40	-	7	1080





STUB CRUSHERS





Product	A, mm	B, mm	C, mm	Material	No of teeth	Weight, kg
RA800	800	650	10	Hardox450	9	45
RA3000	3000	1500	30	Hardox450	9	2150









PALLET FORKS





Product	Lifting capacity, t	A, mm	B, mm	C, mm	Fork type	Type	Weight, kg
PF-FEM2_BC	<2,5	1250	750	1140	FEM2	Mechanical	175
PF-FEM2_S45	<2,5	1250	650	1500	FEM2	Mechanical	200
PF-FEM3_S60	<5t	1250	800	1500	FEM3	Mechanical	360
PF-FEM3_S70	<5t	1250	1000	1500	FEM3	Mechanical	420









GRADING BARS

For machines 8-22t



Product	Machine weight, t	A, mm	B, mm	C, mm	Width, mm	Weight, kg	Roller
GBE1600	<8	1100	300	400	1600	200	Ø219
GBE2000	<12	1100	300	400	2000	250	Ø219
GBE2500	<16	1250	325	500	2500	450	Ø245
GBE2500A	<16	1750	325	1000	2500	500	Ø245
GBE3000	<22	1250	325	500	3000	550	Ø245

Available also without roller



ASFALT CUTTERS





Product	A, mm	B, mm	C, mm	D, mm	Coupling	Weight, kg
AC_S40_450	573	390	150	450	S40	40
AC_S45_450	571	520	150	450	S45	50
AC_S50_450	585	520	150	450	S50	60
AC_S60_450	599	580	150	450	S60	76
AC_S70_450	619	720	150	450	S70	130
AC_NTP10_450	629	882	150	450	NTP10	140









LIFTING BOOMS



Product	Lifting capacity, t	A, mm	B, mm	Weight, kg
LB2000	<3,0	2000	480	250
LB2500	<2,5	2500	480	275
LB3000	<2,0	3000	480	300



FRONT GUARDS



Product	A, mm	B, mm	Extra	Weight, kg
FG-Hitachi	940	530	Tilting frame	25





BALTIC WELDERS OÜ

Baltic Welders specialises in manufacturing accessory equipment for construction machinery of the highest quality standard. We have satisfied and gained the trust of our customers through our experience and continuous development in the field of accessory equipment manufacturing.

CONTACT INFO

Address: Keki 9, Näpi, 44305,
Lääne-Viru County, Estonia

Phone: +372 5566 7339

Email: info@balticwelders.ee

www.balticwelders.ee